

ENUM Trial in Japan

ENUM BoF in RIPE47

January 28, 2004

Hiro HOTTA <hotta@jprs.co.jp>

Background

Trends in Communication Market in Japan

Drivers

- **Change of Regulation**
 - Privatization of Public Telecom Corporation
 - Relaxation of Regulation
- **Evolution of Devices**
 - Small, Wireless, High-functioned (e.g., mobile phones with cameras)
- **Popularization of Internet and IP Technology**
 - From Circuit Exchange to Packet Data Exchange

History


~Sept.1987	only NTT provided public telephone services
First half of 1990s	communication cost decreased rapidly by competition
Latter half of 1990s	share of mobile phones grew rapidly subscribers of mobile phones overtook PSTN in March 2000
2000~	broadband including IP telephony grew rapidly

individual IP phone service providers ==> a couple of groups

Assignment of 050-xxxxxxx to IP Phones

050-xxxxxxx are being assigned to IP phones so that PSTN users can make calls to IP phones.

* prefix 050 is an easily recognized code for IP Phone



MPHPT

↓ 10 million 050 phone numbers
service providers

↓ 5 million 050 phone numbers
users

cf.

PSTN subscribers 60 million
mobile subscribers 80 million

ENUM activities in Japan

- ENUM Study Group & ENUM Trial Japan -



ENUM Study Group

- **Established** <http://www.nic.ad.jp/en/enum/index.html>
 - September 2002
- **Objectives**
 - Understanding the ENUM technology : desk work
 - Studying the implementation and operation of the ENUM-based system, and related matters
 - Finding political/regulatory issues related to ENUM-based implementation and operation
 - Finding technological issues related to ENUM
 - Clarifying pros and cons in ENUM usage
- **Final report**
 - Published in May 2003<http://www.nic.ad.jp/en/enum/ENUMReport.pdf>

ENUM Trial Japan (ETJP)



<http://etjp.jp/english/index.html>

- **Established**
 - on 17 September 2003 (1 year activity)
- **Purpose**
 - Perform ENUM trials to ensure functioning and feasibility of basic technical facility
 - Demonstration of technology for international use
 - Accumulation and sharing of know-how about ENUM
 - DNS operation for ENUM Trial
 - Feasibility test of communication applications (device, software) using ENUM
 - Feasibility test of communication services
- **Results**
 - Technical verification
 - Communication devices and software provided by participants
 - Communication services
 - Clarification and consideration of relevant issues

ETJP organization

- **Participants**
 - **Companies, organizations, and individuals who hope to contribute to ETJP activities**
 - **Number of members: 42 (as of January 28, 2004)**
- **Officers**
 - **Chairman**
 - **Shigeki Goto**
Japan Network Information Center (JPNIC)/Waseda University
 - **Vice chairman**
 - **Hirofumi Hotta**
Japan Registry Service Co., Ltd.(JPRS)
 - **Yoshiki Ishida**
WIDE Project

ETJP Working Groups

- **Privacy and Security WG**
 - **Objective**
 - Discuss data treatment policy in each phase of trial and then publish guidelines
 - **Milestone**
 - Jan 2004: First draft, request for comments
 - Feb 2004: Second draft
 - Mar 2004: Publish guideline
- **DNS WG**
 - **Objective**
 - Definition of possible ENUM DNS models in Japan, their requirements and evaluation criteria, then evaluate current DNS implementations
 - **Milestone**
 - Feb 2004: Definition of possible ENUM DNS models, requirements, evaluation criteria
 - Mar 2004: Build Testbed, evaluation
 - Apr 2004: publish reports of the evaluation


DNS structure design


- **Depends on what model to select**
 - User ENUM / Operator ENUM
 - Requirements (such as Number-Portability?)
- **Typical requirements for Tier1 DNS:**
 - Handling of large zone
 - even over 100M entries (if all the numbers are held in Tier1)
 - Scalability and stability
 - Performance
- **Typical requirements for Tier2 DNS:**
 - Capability for frequent update
 - EDNS0 support ?
 - To hold a number of NAPTR RRs for a single E.164 number that may exceed 512 octets in one DNS packet


Consideration on DNS

- **Typical ENUM services like Web, Mail, SIP also lookup DNS.**
 - **Web: Hyper-links(A).**
 - **Mail: sending (MX, A), receiving (PTR).**
 - **SIP: service protocol (D2U/D2T NAPTR), service location(SRV), sip server(A)**
- **The number of DNS queries will increase when ENUM is deployed.**
- **Users are nervous about service quality.**
 - **Users don't care where the bottle neck is.**


ENUM trial (phase1)







Layer of ENUM services and standards



ETJP Registration system (Phase 1)

- **Each ETJP member can apply their preferred numbers as their trial E.164 numbers.**
- **Verification is performed by each member's ID and password.**

NAPTR Registration Web I/F (Phase 1)

ENUM登録システム: NAPTR情報

会員ID/番号利用者ID: [0-9]*
 会員名/番号利用者名: 株式会社日本レジストリサービス

ENUM番号: 813[0-9]*

削除	order	preference	service	URI/regexp
<input type="checkbox"/>	0	0	E2U+voice:tel	!~*!tel+813[0-9]*
<input type="checkbox"/>	0	0	E2U+email:mailto:	!~*!mailto:[0-9]*@etjp.jp
<input type="checkbox"/>	0	0	E2U+web:http	!~*!http://etjp.jp
<input type="checkbox"/>	0	0		

enter

ラベル	値	概要
order	符号なし整数	NAPTR RR order field
preference	符号なし整数	NAPTR RR preference field
service	E2U+ 文字列	sip, email:mailto, voice:tel, web:http, ...
URI/regexp	正規表現	URIを入力すると正規表現に補完

次の文字は無視されます " ` ` () < >

[Return to Top](#)

Copyright (C) 2003 Japan Registry Service, All rights reserved.

ETJP members can set their preferred NAPTR RRs to the trial DNS through this Web I/F.

- Those NAPTR RRs are updated within a few minutes.
- Can be examined via ENUM client-like Web I/F.

enum client for mobile phone
 AUS=+813[0-9]*
 Matched:
 tel:03[0-9]*
 mailto:[0-9]*@etjp.jp
 http://etjp.jp


Errors:

ETJP applications (Phase 1)


- **ENUM enabled SIP Proxy (Softfront)**
- **ENUM enabled VoIP Router (Yamaha, CISCO)**
- **ENUM enabled InternetFAX (Panasonic)**
- **Sample Software ENUM Client (JPRS)**
 - **Source codes are open to the members**
 - **Object codes of runtime libraries used by the sample software are open to the members**
 - **API (under development)**
 - **SetDNS : specifies the DNS server**
 - **SetAUS : specifies the Telephone Number**
 - **CreateAUS : create the AUS Number using the locale info**
 - **ENUMQuery : look-up NAPTR records**
 - **ENUMGetData : picks up NAPTR records one by one**

More application and SDK


1) start



3) services are shown and select one



2) input telephone number and look-up



4) Start the communication service



References

- **ETJP**
 - <http://etjp.jp/> (in Japanese)
 - <http://etjp.jp/english/>
- **ENUM Study Group**
 - <http://www.nic.ad.jp/en/enum/>
- **JPRS**
 - <http://jprs.co.jp/enum/> (in Japanese)

Q & A